Recessed Mounted 4C Horizontal Mailboxes

continued on pages 18 - 19

Note: Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P. S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES

FRONT LOADING USPS access or PRIVATE access

Made of heavy duty aluminum and stainless steel hardware, Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P.S. approved and are available with standard MB1 mailbox doors (12-3/4'' W x 3-1/4'' H). Larger MB2, MB3 and MB4 mailbox doors are available for custom units – see door sizes on page 31. All pre-numbered mailbox doors include a heavy duty cam lock with a dust/rain shield and three (3) keys. Recessed mounted 4C horizontal mailbox units include factory installed 1'' W x 1/4'' D trim and are available in configurations that are one door wide (single column) and two (2) doors wide (double column). The Salsbury maximum height units (3716D-15) have three (3) fully integrated parcel lockers (2 PL4.5 and 1PL5) and fifteen (15) standard MB1 mailbox doors and meet the U.S.P.S. 4C requirement of one parcel locker for every five (5) tenant compartments. Fully integrated and stand-alone parcel lockers are available in heights ranging from the equivalent of three (3) standard MB1 mailbox doors (PL3 - 10-1/4" high) to six (6) standard MB1 mailbox doors (PL6 - 20-3/4" high). Each unit includes a compartment for outgoing mail collection and is labeled “Outgoing Mail”. The outgoing mail compartment includes a weather protection flap and a 11-3/4'' W x 3/4'' H mail slot. Designed for indoor or outdoor use, recessed mounted 4C horizontal mailboxes feature a durable powder coated finish available in four (4) contemporary colors.

STANDARD FEATURES

Front view of 3716D-15 Front Loading Recessed Mounted Double Column Unit displayed

#3716D-15 maximum height recessed mounted 4C horizontal mailboxes in black finish with optional custom engraved placards (#3767) displayed

MAXIMUM HEIGHT UNITS - 57-1/8" H

3716D-20
Double Column - Front Loading

3716D-15
Double Column - Front Loading

11 DOOR HIGH UNITS - 41-3/8" H

3711D-20
Double Column - Front Loading

3711D-10
Double Column - Front Loading

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES - FRONT LOADING - U.S.P.S. APPROVED

MODEL	DESCRIPTION	UNIT SIZE (includes trim)	WEIGHT	PRICE
MAXIMUM HEIGHT UNITS - 57-1/8" H (maximum allowable height)				
3716D-20[1,2]	20 MB1 Doors and 2 Parcel Lockers (PL4.5's)	31-1/8" W x 57-1/8" H x 16-1/2" D	170 lbs.	$3,215.00
3716D-15[1,2]	15 MB1 Doors and 3 Parcel Lockers (PL4.5's, PL5)	31-1/8" W x 57-1/8" H x 16-1/2" D	160 lbs.	$2,950.00
3716D-10[1,2]	10 MB1 Doors and 4 Parcel Lockers (PL4.5's, PL5's)	31-1/8" W x 57-1/8" H x 16-1/2" D	150 lbs.	$2,690.00
3716D-6P[1,2]	6 Parcel Lockers (PL4.5's, PL5's, PL6's)	31-1/8" W x 57-1/8" H x 16-1/2" D	145 lbs.	$2,075.00
3716S-09[1,2]	9 MB1 Doors and 1 Parcel Locker (PL4.5)	17" W x 57-1/8" H x 16-1/2" D	85 lbs.	$1,580.00
3716S-06[1,2]	6 MB1 Doors and 2 Parcel Lockers (PL3, PL4.5)	17" W x 57-1/8" H x 16-1/2" D	85 lbs.	$1,445.00
3716S-3P[1,2]	3 Parcel Lockers (PL4.5, PL5, PL6)	17" W x 57-1/8" H x 16-1/2" D	80 lbs.	$1,040.00

MAXIMUM HEIGHT UNITS - 57-1/8" H



MODEL	DESCRIPTION	UNIT SIZE (includes trim)	WEIGHT	PRICE
11 DOOR HIGH UNITS - 41-3/8" H (equivalent to 11 standard mailbox doors (MB1) high)				
3711D-20[1,2]	20 MB1 Doors - no Parcel Lockers	31-1/8" W x 41-3/8" H x 16-1/2" D	145 lbs.	$2,630.00
3711D-15[1,2]	15 MB1 Doors and 1 Parcel Locker (PL5)	31-1/8" W x 41-3/8" H x 16-1/2" D	135 lbs.	$2,365.00
3711D-10[1,2]	10 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 41-3/8" H x 16-1/2" D	135 lbs.	$2,090.00
3711D-4P[1,2]	4 Parcel Lockers (PL5's, PL6's)	31-1/8" W x 41-3/8" H x 16-1/2" D	130 lbs.	$1,490.00
3711S-09[1,2]	9 MB1 Doors - no Parcel Lockers	17" W x 41-3/8" H x 16-1/2" D	75 lbs.	$1,285.00
3711S-04[1,2]	4 MB1 Doors and 1 Parcel Locker (PL5)	17" W x 41-3/8" H x 16-1/2" D	75 lbs.	$1,015.00
3711S-2P[1,2]	2 Parcel Lockers (PL5, PL6)	17" W x 41-3/8" H x 16-1/2" D	65 lbs.	$745.00

11 DOOR HIGH UNITS - 41-3/8" H



Current Pricing and Volume Discounts Available at Mailboxes.com!

[1] Specify

[2] Specify - U.S.P.S. access or private access *(order #3775 master commercial lock for private access on FL units and PL's)*

more recessed mounted 4C horizontal mailboxes available on pages 18-19 and on-line

Recessed Mounted 4C Horizontal Mailboxes

for custom 4C mailbox units and options – see pages 28-31

ARCHITECTURAL RESOURCES ONLINE

visit: www.mailboxes.com/Architectural-Resources

- Product Information
- 3D Revit / BIM Models
- Detailed Specifications
- Technical Drawings
- Installation Instructions
- AutoCAD Drawings
- Color Chart
- ADA Compliant Units Available

- see page 19 or visit: www.mailboxes.com/ADA-4C-Mailboxes

ALL ALUMINUM CONSTRUCTION

#3710D-10 recessed mounted 4C horizontal mailboxes in bronze finish with optional custom engraved placards (#3767) displayed

4C

Note: Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P. S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.

4C MAILBOX CONFIGURATOR



Access our 4C Configurator at:
www.mailboxes.com/Mailbox-Configurator

Our 4C mailbox configurator will assist in determining the ideal combination of mailboxes and parcel lockers based on your specific requirements. This robust tool also allows you to customize 4C mailbox units and add numbering sequences to drawings. In addition to clear and easy to read elevation line drawings with dimensions, our online mailbox configurator will also provide you with PDF, Word, Excel and AutoCAD drawing files to download for your project. Purchasing products and requesting a quote online is simple and convenient.

4C CONNECTOR KIT

Made of heavy duty aluminum, 4C horizontal mailbox connector kits easily connect multiple recessed mounted mailbox units providing easy installation. Each standard and custom recessed mounted 4C horizontal mailbox unit includes one mailbox connector kit (hardware included).

Models displayed:
(2) 3716D-15 Front Loading Units
(1) 3716CK Connector Kit

Easy Installation!!



4C horizontal mailbox connector kits connect recessed mounted units side by side and eliminate the need for wood studs between the units.

Note: For installations accessed by the U.S. Postal Service, the tenant locks in the top row of mailboxes must be no more than 67" above the finished floor and the bottom shelf of the lowest row of mailboxes must be no less than 28" above the finished floor. The U.S.P.S. master arrow lock must be a minimum of 36" and a maximum of 48" above the finished floor. The bottom shelf of parcel lockers must be at least 15" above the finished floor.

10 DOOR HIGH UNITS* - 37-7/8" H

3710D-10
Double Column - Front Loading

3710S-04
Single Column - Front Loading

6 DOOR HIGH UNITS* - 23-7/8" H

3706D-10
Double Column - Front Loading

3706S-04
Single Column - Front Loading

*All units meet ADA reach requirements when installed with the tenant locks in the top row of mailboxes no more than 48" above the finished floor and the bottom shelf of the lowest row of mailboxes no less than 28" above the finished floor.

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES - FRONT LOADING - U.S.P.S. APPROVED

MODEL	DESCRIPTION	UNIT SIZE (includes trim)	WEIGHT	PRICE
10 DOOR HIGH UNITS - 37-7/8" H (equivalent to 10 standard mailbox doors (MB1) high)				
3710D-10[1,2]	10 MB1 Doors and 2 Parcel Lockers (PL4, PL4.5)	31-1/8" W x 37-7/8" H x 16-1/2" D	130 lbs.	$2,005.00
3710D-09[1,2]	9 MB1 Doors and 2 Parcel Lockers (PL4.5, PL5)	31-1/8" W x 37-7/8" H x 16-1/2" D	130 lbs.	$1,920.00
3710D-06[1,2]	6 MB1 Doors and 2 Parcel Lockers (PL6's)	31-1/8" W x 37-7/8" H x 16-1/2" D	125 lbs.	$1,705.00
3710D-4P[1,2]	4 Parcel Lockers (PL5's)	31-1/8" W x 37-7/8" H x 16-1/2" D	120 lbs.	$1,375.00
3710S-04[1,2]	4 MB1 Doors and 1 Parcel Locker (PL4.5)	17" W x 37-7/8" H x 16-1/2" D	75 lbs.	$965.00
3710S-03[1,2]	3 MB1 Doors and 1 Parcel Locker (PL5)	17" W x 37-7/8" H x 16-1/2" D	70 lbs.	$895.00
3710S-2P[1,2]	2 Parcel Lockers (PL5's)	17" W x 37-7/8" H x 16-1/2" D	65 lbs.	$685.00

10 DOOR HIGH UNITS - 37-7/8" H



MODEL	DESCRIPTION	UNIT SIZE (includes trim)	WEIGHT	PRICE
6 DOOR HIGH UNITS - 23-7/8" H (equivalent to 6 standard mailbox doors (MB1) high)				
3706D-10[1,2]	10 MB1 Doors - no Parcel Lockers	31-1/8" W x 23-7/8" H x 16-1/2" D	90 lbs.	$1,405.00
3706D-09[1,2]	9 MB1 Doors - no Parcel Lockers	31-1/8" W x 23-7/8" H x 16-1/2" D	90 lbs.	$1,285.00
3706D-05[1,2]	5 MB1 Doors and 1 Parcel Locker (PL5)	31-1/8" W x 23-7/8" H x 16-1/2" D	85 lbs.	$1,140.00
3706D-2P[1,2]	2 Parcel Lockers (PL6's)	31-1/8" W x 23-7/8" H x 16-1/2" D	80 lbs.	$790.00
3706S-04[1,2]	4 MB1 Doors - no Parcel Lockers	17" W x 23-7/8" H x 16-1/2" D	50 lbs.	$670.00
3706S-03[1,2]	3 MB1 Doors - no Parcel Lockers	17" W x 23-7/8" H x 16-1/2" D	50 lbs.	$545.00
3706S-1P[1,2]	1 Parcel Locker (PL6)	17" W x 23-7/8" H x 16-1/2" D	45 lbs.	$395.00

6 DOOR HIGH UNITS - 23-7/8" H



Current Pricing and Volume Discounts Available at Mailboxes.com!

[1] Specify



OUTGOING MAIL COMPARTMENT
Note: Recessed mounted 4C horizontal mailboxes include a compartment for outgoing mail collection that is labeled "Outgoing Mail".

[2] Specify - U.S.P.S. access or private access *(order #3775 master commercial lock for private access on FL units and PL's)*

For custom 4C mailbox units, specifications & options - see pages 28-31

4C Horizontal Mailbox Specifications & Options

see 4C horizontal mailbox units on pages 16 - 29

- Manufactured by Salsbury Industries to USPS-STD-4C Specifications
- Required for New Construction and Major Renovations
- For Indoor or Outdoor Use

ALL ALUMINUM CONSTRUCTION

- Fully Integrated or Stand-Alone Parcel Lockers
- ADA Compliant Units Available

- see pages 19, 23 and 27 or visit: www.mailboxes.com/ADA-4C-Mailboxes

Current Pricing and Volume Discounts Available at Mailboxes.com!

Note: Salsbury 4C horizontal mailboxes and parcel lockers are U.S.P. S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.

4C MAILBOX CONFIGURATOR



Access our 4C Configurator at:
www.mailboxes.com/Mailbox-Configurator

Our 4C mailbox configurator will assist in determining the ideal combination of mailboxes and parcel lockers based on your specific requirements. This robust tool also allows you to customize 4C mailbox units and add numbering sequences to drawings. In addition to clear and easy to read elevation line drawings with dimensions, our online mailbox configurator will also provide you with PDF, Word, Excel and AutoCAD drawing files to download for your project. Purchasing products and requesting a quote online is simple and convenient.

DESIGN ASSISTANCE

Our design engineers are available to architects, specification writers and individuals involved in the design of mail distribution facilities, apartment complexes and commercial buildings. Visit the informative Architect Resources section of our website at: www.mailboxes.com/Architectural-Resources to download specifications, technical drawings, AutoCAD and BIM/ Revit models. You can also submit required layout and options for a price quotation.

Custom recessed mounted 4C horizontal mailboxes in aluminum finish with optional custom engraved doors -black filled (#3774) displayed

Front loading units include one or two (2) master door(s) that swing(s) on continuous integral hinges. The outgoing mail compartment includes the access door and cannot be used for mail distribution. The rear of the unit incorporates a solid rear cover. Note: U.S.P.S. standard 4C requires a minimum of one parcel locker for every five (5) tenant compartments. Parcel lockers are not required for installation sites with less than five (5) tenant compartments.



Front view of Front Loading Recessed Mounted Double Column Unit displayed



Front view of Front Loading Recessed Mounted Double Column Unit with Doors Open displayed

4C HORIZONTAL MAILBOX SPECIFICATIONS & OPTIONS

FOR RECESSED MOUNTED, SURFACE MOUNTED AND FREE-STANDING MAILBOX UNITS

MAILBOX DOOR SIZES
Each aluminum door includes a heavy duty five (5) pin cylinder cam lock with a dust/rain shield and three (3) keys.



#3751[1] Replacement MB1 door and lock
$100.00



#3752[1] Replacement MB2 door and lock
$110.00



#3753[1] Replacement MB3 door and lock
$120.00

#3754[1] Replacement MB4 door and lock
$130.00

PARCEL LOCKER DOOR SIZES
Parcel lockers offer tenants a convenient way to receive packages on site and are fit with a two (2) key security system.



#3753P[1] Replacement PL3 door and lock
$160.00



#3754P[1] Replacement PL4 door and lock
$170.00



#3754.5P[1] Replacement PL4.5 door and lock
$175.00



#3755P[1] Replacement PL5 door and lock
$180.00

#3756P[1] Replacement PL6 door and lock
$190.00

[1] Specify

FINISHES
The durable and corrosion resistant 4C units feature a durable powder coated finish available in aluminum, bronze, sandstone or black. Custom finishes (#3766 – add 25% upcharge) are available as an option upon request – minimum order of (100) doors.

DOOR IDENTIFICATION
Each standard 4C horizontal mailbox door has a 1" high number. The outgoing mail compartment is labeled "Outgoing Mail" and the parcel locker(s) are labeled with a "1P", "2P", etc. Custom identification systems are available as an option upon request.

CUSTOM ENGRAVED PLACARDS
1-3/4" W x 1-1/2" H custom engraved self-adhesive placards are available as an option upon request.
(#3767 - $3.00)

#3767

OUTGOING MAIL COMPARTMENTS
One compartment in each unit is labeled "Outgoing Mail" and includes a weather protection flap and a 11-3/4" W x 3/4" H mail slot.

LOCKS
Each 4C mailbox door includes a heavy duty five (5) pin cylinder cam lock with a dust/rain shield and three (3) keys (2,000 different key changes).
(#3790-5 - set of (5) #3790 locks - $130.00)



#3790

- Additional keys per lock when ordering (#3798 - $5.00)
- Key blanks - box of (50) (#3799 - $60.00)
- Custom lock installation - cylinders provided by owner (for installations not serviced by the U.S.P.S.) (100 door minimum) (#3793 - $5.00 additional per door)

For installations NOT serviced by the U.S.P.S.

- Mail slots (#3769 - $5.00)
  Standard slot size: 10-3/4" W x 3/4" H
  Custom slot sizes are available upon request.
- Plexiglass window 1-1/8" W x 7/8" H (#3771 - $3.00)
- Outgoing mail slot plug kit (#3770 - $35.00)

#3769



#3771

CUSTOM ENGRAVED DOORS

- Custom engraved door – regular (#3768 - $5.00)
- Custom engraved door – black filled (#3774 - $5.00)



#3768



#3774

MASTER COMMERCIAL LOCK
Factory installed if for private access - for front loading mailboxes and parcel lockers - with (2) keys
(#3775 - $30.00)



#3775

TENANT PARCEL LOCKER LOCK
For parcel locker door - with (3) keys
(#3776 - $50.00)



#3776

COMBINATION LOCK
Three (3) digit single dial combination lock with spring latch and automatic throw-off (for installations not serviced by the U.S.P.S.). Combination numbers can be changed by owner.
(#3786 - $35.00)



#3786